

Rubber Fab Hose Technology:

STAINLESS STEEL FITTINGS



Sanitary

Pipe Thread (NPT)



BSN - Bevel Seat Nut



RTC - Reducing Tri-Clamp®



FPT - Female Pipe Thread



FMIL - Female I-line®



TC - Tri-Clamp®



MPT - Male Pipe Thread



MIL - Male I-line®



TC-SIL - Tri-Clamp® Silicone



MTC - Mini Tri-Clamp®



MXTC - Maxi Tri-Clamp®



TC-TEF - PTFE Lined Tri-Clamp®



Non-Metallic Fittings

Compression



CTA - Compression Tube Adapter



CTAFN - Compression Tube Adapter Ferrule and Nut



CTCFN - Compression Tube Connector Ferrule and Nut

JIC



FJIC - Female JIC



MUA - Male Union Adapter

Flanges



LJFR - Lap Joint Flange Retainer



TEFLJFR - PTFE Encapsulated Lap Joint Flange Retainer



LJF - LAP Joint Flange

Features:

- Fitting sizes available from 1/4" to 6"
- Fittings are manufactured in 316L Stainless Steel
- Standard 10-12RA surface finish on Tri-Clamps®
- Heat trace number for traceability on all sanitary Tri-Clamps®
- Material test reports (MIRS) are available upon request
- Electropolishing of fittings available
- Fittings available in exotic metals and non-metallic materials, such as Kynar®/PVDF
- Fittings available in special alloys including:
Hastelloy C22 & C276
Alloy 20
Titanium
Monel
- 90° and 45° elbows available
- Available in special step-up and step-down configurations. Please consult factory for additional information and availability.

Tri-Clamp® is a registered trademark of Ladish Company
I-Line® is a registered trademark of Cherry Burrell Corp.
Kynar® is a registered trademark of ELF-Atochem

Cam and Groove



FCL - Female Cam Lock



TEF-FCL - PTFE® Lined Female Cam Lock



MCL - Male Cam Lock

Hinge Clamp



Hinge Clamp

Butt Weld



BWT - Butt Weld Tube



BWP - Butt Weld Pipe

Collets



Collets



± † ¶ † ■ ○

Rubber Fab Technologies Group
Limecrest Road
P.O. Box 626 • Andover, NJ 07821
phone: 973-579-2959 fax: 973-579-7275
www.rubberfab.com

Rubber Fab Technologies Group is a member of:



Distributed by:



Email info@puretransfer.com
www.puretransfer.com
Tel: 033 39 390 034